



SAFETY DATA SHEET

Date Issued : 07/07/2008
 SDS No. : 256 Suncoast Super Black Algaecide
 Date Revised : 02/14/2019
 Revision No : 5

Suncoast Super Black Algaecide

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Suncoast Super Black Algaecide

GENERAL USE: Algaecide

PRODUCT DESCRIPTION: Algaecide

MANUFACTURER

Suncoast Chemicals Company
 6385 150th Ave. N.
 Clearwater, FL 33760
Product Stewardship: (727) 531-8913

DISTRIBUTOR

Sun Wholesale Supply, Inc.
 (727) 531-8913
 6385 150th Ave N.
 Clearwater, FL 33760
Emergency Phone: (800) 255-3924

24 HR. EMERGENCY TELEPHONE NUMBERS

Chem-Tel 24-Hour Emergency # (800) 255-3924

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Acute Toxicity (Oral), Category 4
 Acute Toxicity (Dermal), Category 4
 Skin Corrosion, Category 1B
 Serious Eye Damage, Category 1

GHS LABEL



Corrosion



Exclamation
mark

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H302: Harmful if swallowed.
 H312: Harmful in contact with skin.
 H314: Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENT(S)

Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.
 P264: Wash ... thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301+P312: IF SWALLOWED: Call a POISON CENTER/ doctor/...if you feel unwell.
 P330: Rinse mouth.
 P362: Take off contaminated clothing.
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P321: Specific treatment (see ... on this label).



SAFETY DATA SHEET

Date Issued : 07/07/2008
 SDS No. : 256 Suncoast Super Black Algaecide
 Date Revised : 02/14/2019
 Revision No : 5

Suncoast Super Black Algaecide

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310: Immediately call a POISON CENTER/doctor/...

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container to ...

POTENTIAL HEALTH EFFECTS

INGESTION: May be harmful if swallowed.

ROUTES OF ENTRY: Eyes, Skin, Inhalation, Ingestion

SENSITIZATION: Not expected to be a skin sensitizer.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Quaternary ammonium compounds, benzyl C12-18 alkyl dimethyl, chlorides	Proprietary	68424-85-1
2,2',2''-Nitrilotriethanol	Proprietary	102-71-6
2-Aminoethanol	Proprietary	141-43-5
Copper carbonate	Proprietary	12069-69-1
Ethanol	Proprietary	64-17-5

4. FIRST AID MEASURES

EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. See a doctor immediately.

SKIN: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

COMMENTS: Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a doctor or poison control, or going for treatment.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

EXPLOSION HAZARDS: Will not burn.

FIRE FIGHTING PROCEDURES: Use water spray to cool unopened containers.

FIRE FIGHTING EQUIPMENT: Firefighters should wear self-contained breathing apparatus (SCBA) and turn-out gear.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride gas, carbon oxides, nitrogen oxides (NOx)

6. ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This material is soluble in water. If the product contaminates rivers and lakes or drains, inform respective authorities.

LAND SPILL: Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Do not use clay to absorb spill. Avoid release to the



SAFETY DATA SHEET

Date Issued : 07/07/2008
SDS No. : 256 Suncoast Super Black Algacide
Date Revised : 02/14/2019
Revision No : 5

Suncoast Super Black Algacide

environment.

AIR SPILL: Keep people away from and upwind of spill/leak.

GENERAL PROCEDURES: Prevent further leakage or spillage if safe to do so. Evacuate personnel to safe areas.

SPECIAL PROTECTIVE EQUIPMENT: Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.

7. HANDLING AND STORAGE

HANDLING: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid inhalation of dust and fumes.

STORAGE: Store in a cool, dry, well-ventilated area away from incompatible materials. Do not freeze.

COMMENTS: Use safe chemical handling procedures suitable for the hazards presented by this material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
	EXPOSURE LIMITS			
Chemical Name	Type		ppm	mg/m³
2,2',2''-Nitrilotriethanol	ACGIH TLV	TWA		5 mg/m3
2-Aminoethanol	OSHA PEL	TWA	3 ppm	6 mg/m3
	ACGIH TLV	TWA	3 ppm	7.5 mg/m3
		STEL	6 ppm	15 mg/m3
	Supplier OEL	STEL	6 ppm NIOSH/GUIDE	15 mg/m3 NIOSH/GUIDE
Copper carbonate	OSHA PEL	TWA	[1]	[1]
	ACGIH TLV	TWA	[2]	mg/m3 [2]
	Supplier OEL	TWA		100 mg/m3 (NIOSH/GUIDE 2005)
Ethanol	OSHA PEL	TWA	1000 ppm	1900 mg/m3
		STEL	ppm	mg/m3
	ACGIH TLV	TWA	1000 ppm	1884 mg/m3
		STEL	ppm	mg/m3
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL
Footnotes: 1. dusts and mists 2. Calculated as copper TWA dusts and mists				

ENGINEERING CONTROLS: Use local exhaust to maintain levels below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear chemical goggles and face shield.

SKIN: Avoid contact with skin. Impervious gloves, boots, apron, and a full impervious suit is recommended if exposure is possible to a large portion of the body.



SAFETY DATA SHEET

Date Issued : 07/07/2008
 SDS No. : 256 Suncoast Super Black Algacide
 Date Revised : 02/14/2019
 Revision No : 5

Suncoast Super Black Algacide

RESPIRATORY: Wear a NIOSH approved respirator if levels above the exposure limits are possible. A NIOSH approved air purifying respirator with organic vapor cartridge and P95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten times the published limit.

PROTECTIVE CLOTHING: Impervious, neoprene or butyl rubber.

WORK HYGIENIC PRACTICES: Provide safety shower and eyewash station in the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

APPEARANCE: Blue liquid.

pH: 9.5 to 9.7

FLASHPOINT AND METHOD: Product is not flammable. Not combustible. Not classified as pyrophoric. Not explosive.

FLAMMABLE LIMITS: 0 to 0

VAPOR PRESSURE: N/A

VAPOR DENSITY: > 1

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE: < 1

SPECIFIC GRAVITY: 1.049

VISCOSITY #1: 34.5 mPa.s at 20°C

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: Heat.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride fumes, oxides of carbon and nitrogen oxide.

INCOMPATIBLE MATERIALS: Strong acids, oxidizing agents, clay.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

DERMAL LD₅₀: 1872 mg/kg (rat)

ORAL LD₅₀: 1030 mg/kg - Rat

RESPIRATORY OR SKIN SENSITISATION: Not known or reported to be a skin or respiratory sensitizer.

CARCINOGENICITY

IARC: Ethanol - Group 1 - Carcinogenic to humans

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not available.

ECOTOXICOLOGICAL INFORMATION: No data available.

DISTRIBUTION: No data.

COMMENTS: Very toxic to aquatic organisms.



SAFETY DATA SHEET

Date Issued : 07/07/2008
 SDS No. : 256 Suncoast Super Black Algaecide
 Date Revised : 02/14/2019
 Revision No : 5

Suncoast Super Black Algaecide

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with all applicable regulations.

EMPTY CONTAINER: Empty containers retain hazardous residue, dispose of accordingly.

RCRA/EPA WASTE INFORMATION: If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: 3267

PACKING GROUP: II

NAERG: 153

MARINE POLLUTANT #1: No.

OTHER SHIPPING INFORMATION: DOT exception 173.154 - this product qualifies as a Limited Quantity when inner packaging does not exceed 1.3 gallons.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

UN NUMBER: 3267

HAZARD CLASS: 8

PACKING GROUP: II

LABEL: 8-Corrosive substances

AIR (ICAO/IATA)

SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

UN/NA NUMBER: 3267

PRIMARY HAZARD CLASS/DIVISION: 8

PACKING GROUP: II

LABEL: 8

VESSEL (IMO/IMDG)

SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

UN/NA NUMBER: 3267

PRIMARY HAZARD CLASS/DIVISION: 8

PACKING GROUP: II

EmS: F-A, S-B

MARINE POLLUTANT #1: No.

LABEL: 8

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

UN/NA NUMBER: 3267



SAFETY DATA SHEET

Date Issued : 07/07/2008
 SDS No. : 256 Suncoast Super Black Algaecide
 Date Revised : 02/14/2019
 Revision No : 5

Suncoast Super Black Algaecide

PRIMARY HAZARD CLASS/DIVISION: 8

PACKING GROUP: II

LABEL: 8

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

313 REPORTABLE INGREDIENTS: Copper Carbonate, CAS #12069-69-1; 5.64%

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA RQ: 2, 2'-Iminodiethanol, CAS #111-42-2: 100 lbs.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: This is an EPA registered product.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
2,2',2''-Nitrilotriethanol	Massachusetts Hazardous Substance
Ethanol	Ethyl Alcohol: New Jersey Workplace Hazard New Jersey Special Hazard Pennsylvania Workplace Hazard CA Proposition 65 Massachusetts Hazardous Substance New York City Hazardous Substance

REGULATIONS

STATE REGULATIONS: Copper Carbonate, CAS# 12069-69-1, listed PA RTK and NJ RTK.

Quaternary ammonium compound, CAS# 68424-85-1, listed PA RTK and NJ RTK.

CALIFORNIA PROPOSITION 65: WARNING! This product contains a chemical known to the State of California to cause cancer.

2,2''-Iminodiethanol, CAS #111-42-2

Formaldehyde, CAS #50-00-0

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Below you will find the hazard information that is required on the EPA pesticide label.

GENERAL COMMENTS: HAZARD INFO FOUND ON PRODUCT'S EPA LABEL, EPA Reg. No. 46043-25:

DANGER. Corrosive.

Harmful if swallowed.

May be fatal if absorbed through skin.

Causes skin burns.



SAFETY DATA SHEET

Date Issued : 07/07/2008
SDS No. : 256 Suncoast Super Black Algaecide
Date Revised : 02/14/2019
Revision No : 5

Suncoast Super Black Algaecide

Causes irreversible eye damage.

This pesticide is toxic to fish and aquatic organisms.

16. OTHER INFORMATION

Date Revised: 02/14/2019

REVISION SUMMARY: This SDS replaces the 06/04/2015 SDS. Revised: **Section 1:** PRODUCT CODE. **Section 3:** COMMENTS. **Section 14:** AIR (ICAO/IATA) (LABEL, PACKING GROUP, UN/NA NUMBER, ERG), DOT (DEPARTMENT OF TRANSPORTATION) (UN/NA NUMBER, PACKING GROUP, NAERG), LABEL, PACKING GROUP, PRIMARY HAZARD CLASS/DIVISION, UN/NA NUMBER, ROAD AND RAIL (ADR/RID), ROAD AND RAIL (ADR/RID) (PROPER SHIPPING NAME, UN NUMBER, PACKING GROUP), SHIPPING NAME, VESSEL (IMO/IMDG) (LABEL, PACKING GROUP, UN/NA NUMBER, EmS).

MANUFACTURER DISCLAIMER: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).